

San Pareil Water Analysis - 2023 Monthly Report

		_	ntre for Control				RD	N In-House	Laboratory	and Spe	ctrophotome	ter		
Date	Sample Location (Address)	E. coli *	Total Coliform	E.coli *	Total Coliform *	Temp. (°C)	рН	Free Chlorine Residual (mg/L)	Total Dissolved Solids (mg/L)	Salinity (%)	Conductivity (µS/cm)	Turbidity	Total Iron (mg/L)	Manganese (mg/L)
5-Dec-23	793 San Malo	0	0	0	0	10	6.90	0.66	39.6	0.04	83.9	0.32	Fe and Mn tested in-ho	are no longer
12-Dec-23	962 Ballenas	0	0	0	0	10	7.00	0.26	46.1	0.05	98.1	0.16	See Annual	
20-Dec-23	995 Sabine	0	0	0	0	10		0.78				0.19	Results at https://www	rdn.bc.ca/
20-Dec-23	1090 Plummer	0	0	0	0	10	7.00	0.88	38.9	0.04	82.7	0.11	san-pareil	
CDN Drinkir	ng Water Guidelines	<1	<1	<1	<1	n/a	7.0-10.5	n/a	500	n/a	n/a		0.3	0.02 AO 0.12 MAC

Legend:

Green font indicates a value flagged for operational consideration

Red font indicates non-compliance with the Maximum Acceptable Concentration (MAC) in the CDWG

Comments:

A full potability scan, including metals and minerals, is completed once per year at an external lab.

Туре	Parameter (published, reaffirmed)	MAC (mg/L)	Other value (mg/L)	Common sources of parameter in water	Health considerations	Comments
Treatment- related	рН (2015)	None	7.0-10.5	Not applicable	Not applicable	The control of pH is important to maximize treatment effectiveness, control corrosion and reduce leaching from distribution system and plumbing components.

^{*} Coliforms are measured in colony forming units (CFU) per 100 millilitres of water (CFU/100mL)



San Pareil Water Analysis - 2023 Monthly Report

			ntre for Control				RD	N In-House	Laboratory	and Spe	ctrophotomet	er		
Date	Sample Location (Address)	E. coli *	Total Coliform	E.coli *	Total Coliform *	Temp. (°C)	рН	Free Chlorine Residual (mg/L)	Total Dissolved Solids (mg/L)	Salinity (%)	Conductivity (µS/cm)	Turbidity	Total Iron (mg/L)	Manganese (mg/L)
8-Nov-23	793 San Malo	0	0	0	0		7.07	0.50	43.6	0.04	92.8	II /n	Fe and Mn are tested in-hous	_
15-Nov-23	995 Sabine	0	0	0	0	12	6.81	0.52	49.3	0.05	83.2		See Annual Ta	
20-Nov-23	962 Ballenas	0	0	0	0		7.09	0.06	46.8	0.05	99.1	0.17	Results at https://www.rd	n.bc.ca/
29-Nov-23	1090 Plummer	0	0	0	0	10	6.65	0.57	38.2	0.04	81.0	0.14	san-pareil	
CDN Drinkin	ng Water Guidelines	<1	<1	<1	<1	n/a	7.0-10.5	n/a	500	n/a	n/a		0.3	0.02 AO 0.12 MAC

Legend:

Green font indicates a value flagged for operational consideration

Red font indicates non-compliance with the Maximum Acceptable Concentration (MAC) in the CDWG

Comments:

A full potability scan, including metals and minerals, is completed once per year at an external lab.

Notes below about pH (2015) from https://www.canada.ca/en/health-canada/services/environmental-workplace-health/reports-publications/water-quality/guidelines-canadian-drinking-water-quality-summary-table.html#">https://www.canada.ca/en/health-canada/services/environmental-workplace-health/reports-publications/water-quality/guidelines-canadian-drinking-water-quality-summary-table.html#">https://www.canada.ca/en/health-canada/services/environmental-workplace-health/reports-publications/water-quality/guidelines-canadian-drinking-water-quality-summary-table.html#">https://www.canada.ca/en/health-canada/services/environmental-workplace-health/reports-publications/water-quality/guidelines-canadian-drinking-water-quality-summary-table.html#">https://www.canada.ca/en/health-canada/services/environmental-workplace-health/reports-publications/water-quality-summary-table.html#">https://www.canada.ca/en/health-canada/services/environmental-workplace-health/reports-publications/water-quality-summary-table.html#">https://www.canada.ca/en/health-canada/services/environmental-workplace-health/reports-publications/water-quality-summary-table.html#">https://www.canada.ca/en/health-canada/services/environmental-workplace-health/reports-publications/water-quality-summary-table.html#">https://www.canada.ca/en/health-canada/services/environmental-workplace-health/reports-publications/water-quality-summary-table.html#">https://www.canada.ca/en/health-canada/services/environmental-workplace-health/reports-publications/environmental-workplace-health/reports-publications/environmental-workplace-health/reports-publications/environmental-workplace-health/reports-publications/environmental-workplace-health/reports-publications/environmental-workplace-health/reports-publications/environmental-workplace-health/reports-publications/environmental-workplace-hea

Туре	Parameter (published, reaffirmed)	MAC (mg/L)	Other value (mg/L)	Common sources of parameter in water	Health considerations	Comments
Treatment- related	pH (2015)	None	7.0-10.5	Not applicable	Not applicable	The control of pH is important to maximize treatment effectiveness, control corrosion and reduce leaching from distribution system and plumbing components.

^{*} Coliforms are measured in colony forming units (CFU) per 100 millilitres of water (CFU/100mL)



San Pareil Water Analysis - 2023 Monthly Report

			ntre for Control				RD	N In-House	Laboratory	and Spe	ctrophotomet	ter		
Date	Sample Location (Address)	E. coli *	Total Coliform	E.coli *	Total Coliform *	Temp. (°C)	рН	Free Chlorine Residual (mg/L)	Total Dissolved Solids (mg/L)	Salinity (%)	Conductivity (µS/cm)	Turbidity (NTU)	Total Iron (mg/L)	Manganese (mg/L)
4-Oct-23	793 San Malo	0	0	0	0	15	6.70	0.77	52.3	0.05	116.0	0.11	Fe and Mn tested in-ho	are no longer
11-Oct-23	962 Ballenas	0	0	0	0	15	6.41	0.65	55.2	0.05	117.0	0.20	See Annual	
17-Oct-23	1090 Plummer	0	0	0	0	15	7.35	0.63	54.7	0.05	116.0	0.00	Results at https://www	rdn.bc.ca/
23-Oct-23	995 Sabine	0	0	0	0	14	6.66	0.42	50.3	0.05	106.8		san-pareil	
CDN Drinkir	ng Water Guidelines	<1	<1	<1	<1	n/a	7.0-10.5	n/a	500	n/a	n/a		0.3	0.02 AO 0.12 MAC

Legend:

Green font indicates a value flagged for operational consideration

Red font indicates non-compliance with the Maximum Acceptable Concentration (MAC) in the CDWG

Comments:

A full potability scan, including metals and minerals, is completed once per year at an external lab.

Туре	Parameter (published, reaffirmed)	MAC (mg/L)	Other value (mg/L)	Common sources of parameter in water	Health considerations	Comments
Treatment- related	pH (2015)	None	7.0-10.5	Not applicable	Not applicable	The control of pH is important to maximize treatment effectiveness, control corrosion and reduce leaching from distribution system and plumbing components.

^{*} Coliforms are measured in colony forming units (CFU) per 100 millilitres of water (CFU/100mL)



San Pareil Water Analysis - 2023 Monthly Report

		_	ntre for Control				RD	N In-House	Laboratory	and Spe	ctrophotome	ter		
Date	Sample Location (Address)	E. coli *	Total Coliform	E.coli *	Total Coliform *	Temp. (°C)	рН	Free Chlorine Residual (mg/L)	Total Dissolved Solids (mg/L)	Salinity (%)	Conductivity (µS/cm)	Turbidity (NTU)	Total Iron (mg/L)	Manganese (mg/L)
6-Sep-23	793 San Malo	0	0	0	0	17	6.68	0.77	510.0	0.05	108.1	0.28	Fe and Mn tested in-ho	are no longer
12-Sep-23	962 Ballenas	0	0	0	0	17	6.75	0.49	53.9	0.05	115.0	0.20	See Annual	
19-Sep-23	1090 Plummer	0	0	0	0	15	6.64	0.77	55.7	0.05	118.0	0.00	Results at https://www	rdn.bc.ca/
27-Sep-23	995 Sabine	0	0	0	0	17	6.51	0.76	54.7	0.05	115.7	0.18	san-pareil	
CDN Drinkir	ng Water Guidelines	<1	<1	<1	<1	n/a	7.0-10.5	n/a	500	n/a	n/a		0.3	0.02 AO 0.12 MAC

Legend:

Green font indicates a value flagged for operational consideration

Red font indicates non-compliance with the Maximum Acceptable Concentration (MAC) in the CDWG

Comments:

A full potability scan, including metals and minerals, is completed once per year at an external lab.

Туре	Parameter (published, reaffirmed)	MAC (mg/L)	Other value (mg/L)	Common sources of parameter in water	Health considerations	Comments
Treatment- related	pH (2015)	None	7.0-10.5	Not applicable	Not applicable	The control of pH is important to maximize treatment effectiveness, control corrosion and reduce leaching from distribution system and plumbing components.
Acceptability	Total dissolved solids (TDS) (1991)	None	AO: <u><</u> 500	Naturally occurring; sewage, urban and agricultural runoff, industrial wastewater	• •	Based on taste; TDS above 500 mg/L results in excessive scaling in water pipes, water heaters, boilers and appliances; TDS is composed of calcium, magnesium, sodium, potassium, carbonate, chloride, sulphate and nitrate.

^{*} Coliforms are measured in colony forming units (CFU) per 100 millilitres of water (CFU/100mL)



San Pareil Water Analysis - 2023 Monthly Report

			ntre for Control				RD	N In-House	Laboratory	and Spe	ctrophotomet	ter		
Date	Sample Location (Address)	E. coli *	Total Coliform	E.coli *	Total Coliform *	Temp. (°C)	рН	Free Chlorine Residual (mg/L)	Total Dissolved Solids (mg/L)	Salinity (%)	Conductivity (µS/cm)	Turbidity (NTU)	Total Iron (mg/L)	Manganese (mg/L)
1-Aug-23	793 San Malo			0	0	17	6.67	0.63	n/a	n/a	n/a	0.16	Fe and Mn tested in-ho	are no longer
9-Aug-23	962 Ballenas	0	0	0	0	15	6.71	0.67	n/a	n/a	n/a	0.21	See Annual	
15-Aug-23	1090 Plummer	0	0	0	0	16	6.86	0.62	n/a	n/a	n/a	0.43	Results at https://www	.rdn.bc.ca/
22-Aug-23	995 Sabine	0	0	0	0	18	6.74	0.64	n/a	n/a	n/a	0.14	san-pareil	
29-Aug-23	1090 Plummer			0	0	16	7.22	0.83	51.3	0.05	108.0	0.22		
CDN Drinkir	ng Water Guidelines	<1	<1	<1	<1	n/a	7.0-10.5	n/a	500	n/a	n/a		0.3	0.02 AO 0.12 MAC

Legend:

Green font indicates a value flagged for operational consideration

Red font indicates non-compliance with the Maximum Acceptable Concentration (MAC) in the CDWG

Comments:

A full potability scan, including metals and minerals, is completed once per year at an external lab.

Туре	Parameter (published, reaffirmed)	MAC (mg/L)	Other value (mg/L)	Common sources of parameter in water	Health considerations	Comments
Treatment- related	pH (2015)	None	7.0-10.5	Not applicable	Not applicable	The control of pH is important to maximize treatment effectiveness, control corrosion and reduce leaching from distribution system and plumbing components.

^{*} Coliforms are measured in colony forming units (CFU) per 100 millilitres of water (CFU/100mL)



San Pareil Water Analysis - 2023 Monthly Report

			ntre for Control				RDN	l In-House L	_aboratory a	and Spect	rophotomete	r		
Date	Sample Location (Address)	E. coli *	Total Coliform	E.coli *	Total Coliform *	Temp. (°C)	рН	Free Chlorine Residual (mg/L)	Total Dissolved Solids (mg/L)	Salinity (%)	Conductivity (µS/cm)	Turbidity (NTU)	Total Iron (mg/L)	Manganese (mg/L)
4-Jul-23	793 San Malo	0	0	0	0	16	6.63	0.72	44.1	0.04	93.6	0.76	Fe and Mn tested in-ho	are no longer
11-Jul-23	962 Ballenas	0	0	0	0	17	6.65	0.53	46.8	0.05	98.2	0.20	See Annua	
18-Jul-23	1090 Plummer			0	0	16	6.65	0.70	n/a	n/a	n/a	0.00	Results at https://www	r.rdn.bc.ca/
CDN Drinkin	ng Water Guidelines	<1	<1	<1	<1	n/a	7.0-10.5	n/a	500	n/a	n/a	<1	0.3	0.02 AO 0.12 MAC

Legend:

Green font indicates a value flagged for operational consideration

Red font indicates non-compliance with the Maximum Acceptable Concentration (MAC) in the CDWG

Comments:

A full potability scan, including metals and minerals, is completed once per year at an external lab.

Туре	Parameter (published, reaffirmed)	MAC (mg/L)	Other value (mg/L)	Common sources of parameter in water	Health considerations	Comments
Treatment- related	рН (2015)	None	7.0-10.5	Not applicable	Not applicable	The control of pH is important to maximize treatment effectiveness, control corrosion and reduce leaching from distribution system and plumbing components.

^{*} Coliforms are measured in colony forming units (CFU) per 100 millilitres of water (CFU/100mL)



San Pareil Water Analysis - 2023 Monthly Report

		_	ntre for Control				RDN	l In-House I	_aboratory a	and Spect	rophotomete	r		
Date	Sample Location (Address)	E. coli *	Total Coliform	E.coli *	Total Coliform *	Temp. (°C)	рН	Free Chlorine Residual (mg/L)	Total Dissolved Solids (mg/L)	Salinity (%)	Conductivity (µS/cm)	Turbidity (NTU)	Total Iron (mg/L)	Manganese (mg/L)
6-Jun-23	793 San Malo	0	0	0	0	14	6.67	0.80	32.4	0.03	69.1	1174	Fe and Mn tested in-ho	are no longer
14-Jun-23	962 Ballenas	0	0	0	0	15	7.17	0.64	38.8	0.04	82.7	0.40	See Annual	
20-Jun-23	1090 Plummer	0	0	0	0	12	6.90	0.94	34.9	0.04	79.8	0.00	Results at https://www	rdn.bc.ca/
27-Jun-23	995 Sabine	0	0	0	0	15	6.71	0.93	47.30	0.05	100.30		san-pareil	
CDN Drinkir	ng Water Guidelines	<1	<1	<1	<1	n/a	7.0-10.5	n/a	500	n/a	n/a	<1	0.3	0.02 AO 0.12 MAC

Legend:

* Coliforms are measured in colony forming units (CFU) per 100 millilitres of water (CFU/100mL)

Green font indicates a value flagged for operational consideration

Red font indicates non-compliance with the Maximum Acceptable Concentration (MAC) in the CDWG

Comments:

A full potability scan, including metals and minerals, is completed once per year at an external lab.

Notes below about pH (2015) from https://www.canada.ca/en/health-canada/services/environmental-workplace-health/reports-publications/water-quality/guidelines-canadian-drinking-water-quality-summary-table.html#">https://www.canada.ca/en/health-canada/services/environmental-workplace-health/reports-publications/water-quality/guidelines-canadian-drinking-water-quality-summary-table.html#">https://www.canada.ca/en/health-canada/services/environmental-workplace-health/reports-publications/water-quality/guidelines-canadian-drinking-water-quality-summary-table.html#">https://www.canada.ca/en/health-canada/services/environmental-workplace-health/reports-publications/water-quality/guidelines-canadian-drinking-water-quality-summary-table.html#">https://www.canada.ca/en/health-canada/services/environmental-workplace-health/reports-publications/water-quality/guidelines-canadian-drinking-water-quality-summary-table.html#">https://www.canada.ca/en/health-canada/services/environmental-workplace-health/reports-publications/water-quality-guidelines-canadian-drinking-water-quality-summary-table.html#">https://www.canada.ca/en/health-canada/services/environmental-workplace-health/reports-publications/water-quality-guidelines-canadian-drinking-water-quality-summary-table.html#">https://www.canada.ca/en/health-canada/services/environmental-workplace-health/reports-publications/water-quality-guidelines-canadian-drinking-water-quality-guidelines-canadian-drinking-water-quality-guidelines-canadian-drinking-water-quality-guidelines-canadian-drinking-water-quality-guidelines-canadian-drinking-water-quality-guidelines-canadian-drinking-water-quality-guidelines-canadian-drinking-water-quality-guidelines-canadian-drinking-water-quality-guidelines-canadian-drinking-water-quality-guidelines-canadian-drinking-water-quality-guidelines-canadian-drinking-water-q

Туре	Parameter (published, reaffirmed)	MAC (mg/L)	Other value (mg/L)	Common sources of parameter in water	Health considerations	Comments
Treatment- related	pH (2015)	None	7.0-10.5	Not applicable	Not applicable	The control of pH is important to maximize treatment effectiveness, control corrosion and reduce leaching from distribution system and plumbing components.



San Pareil Water Analysis - 2023 Monthly Report

		_	ntre for Control				RDN In-H	ouse Labor	atory and S	pectroph	otometer		
Date	Sample Location (Address)	E. coli *	Total Coliform	E.coli *	Total Coliform *	Temp. (°C)	рН	Free Chlorine Residual (mg/L)	Total Dissolved Solids (mg/L)	Salinity (%)	Conductivity (µS/cm)	Total Iron (mg/L)	Manganese (mg/L)
3-May-23	793 San Malo	0	0	0	0	9	7.06	0.59	28.2	0.03	1 60 1	Fe and Mn tested in-ho	are no longer
10-May-23	962 Ballenas	0	0	0	0	9	7.05	0.58	43.0	0.04	91.3	See Annual	
17-May-23	1090 Plummer	0	0	0	0	10	7.85	0.78	27.0	0.03	A	Results at https://www	r.rdn.bc.ca/
24-May-23	995 Sabine	0	0	0	0	9	7.16	0.88	28.9	0.03		san-pareil	
CDN Drinkir	ng Water Guidelines	<1	<1	<1	<1	n/a	7.0-10.5	n/a	500	n/a	n/a	0.3	0.02 AO 0.12 MAC

Legend:

Green font indicates a value flagged for operational consideration

Red font indicates non-compliance with the Maximum Acceptable Concentration (MAC) in the CDWG

Comments:

A full potability scan, including metals and minerals, is completed once per year at an external lab.

Туре	Parameter (published, reaffirmed)	MAC (mg/L)	Other value (mg/L)	Common sources of parameter in water	Health considerations	Comments
Treatment- related	рН (2015)	None	7.0-10.5	Not applicable	I Not applicable	The control of pH is important to maximize treatment effectiveness, control corrosion and reduce leaching from distribution system and plumbing components.

^{*} Coliforms are measured in colony forming units (CFU) per 100 millilitres of water (CFU/100mL)



San Pareil Water Analysis - 2023 Monthly Report

		_	ntre for Control				RDN In-H	ouse Labor	atory and S	pectroph	otometer		
Date	Sample Location (Address)	E. coli *	Total Coliform	E.coli *	Total Coliform *	Temp. (°C)	рН	Free Chlorine Residual (mg/L)	Total Dissolved Solids (mg/L)	Salinity (%)	Conductivity (µS/cm)	Total Iron (mg/L)	Manganese (mg/L)
3-Apr-23	793 San Malo	0	0	0	0	8	7.01	0.64	32.8	0.03	64 /	Fe and Mn tested in-ho	are no longer
12-Apr-23	962 Ballenas	0	0	0	0	8	7.10	0.44	32.8	0.03	69.9	See Annual	
19-Apr-23	1090 Plummber	0	0	0	0	8	7.57	0.66	29.9	0.03	00 F	Results at https://www	r.rdn.bc.ca/
26-Apr-23	995 Sabine	0	0	0	0	7	7.13	0.67	29.3	0.03		san-pareil	
CDN Drinkir	ng Water Guidelines	<1	<1	<1	<1	n/a	7.0-10.5	n/a	500	n/a	n/a	0.3	0.02 AO 0.12 MAC

Legend:

Green font indicates a value flagged for operational consideration

Red font indicates non-compliance with the Maximum Acceptable Concentration (MAC) in the CDWG

Comments:

A full potability scan, including metals and minerals, is completed once per year at an external lab.

Туре	Parameter (published, reaffirmed)	MAC (mg/L)	Other value (mg/L)	Common sources of parameter in water	Health considerations	Comments
Treatment- related	pH (2015)	None	7.0-10.5	Not applicable	Not applicable	The control of pH is important to maximize treatment effectiveness, control corrosion and reduce leaching from distribution system and plumbing components.

^{*} Coliforms are measured in colony forming units (CFU) per 100 millilitres of water (CFU/100mL)



San Pareil Water Analysis - 2023 Monthly Report

			ntre for Control				RDN In-H	ouse Labor	atory and S	pectroph	otometer		
Date	Sample Location (Address)	E. coli *	Total Coliform	E.coli *	Total Coliform *	Temp. (°C)	рН	Free Chlorine Residual (mg/L)	Total Dissolved Solids (mg/L)	Salinity (%)	Conductivity (µS/cm)	Total Iron (mg/L)	Manganese (mg/L)
8-Mar-23	793 San Malo	0	0	0	0	8	6.14	0.65	61.0	0.06	1 1797	Fe and Mn tested in-ho	are no longer
15-Mar-23	962 Ballenas	0	0	0	0	8	7.45	0.57	34.2	0.03	72.8	See Annual	
22-Mar-23	1090 Plummer	0	0	0	0	7	6.90	0.71	39.6	0.04	040	Results at https://www	r.rdn.bc.ca/
27-Mar-23	995 Sabine	0	0	0	0	8	7.05	0.70	38.1	0.04		san-pareil	
CDN Drinkir	ng Water Guidelines	<1	<1	<1	<1	n/a	7.0-10.5	n/a	500	n/a	n/a	0.3	0.02 AO 0.12 MAC

Legend:

Green font indicates a value flagged for operational consideration

Red font indicates non-compliance with the Maximum Acceptable Concentration (MAC) in the CDWG

Comments:

A full potability scan, including metals and minerals, is completed once per year at an external lab.

Туре	Parameter (published, reaffirmed)	MAC (mg/L)	Other value (mg/L)	Common sources of parameter in water	Health considerations	Comments
Treatment- related	рН (2015)	None	7.0-10.5	Not applicable	Not applicable	The control of pH is important to maximize treatment effectiveness, control corrosion and reduce leaching from distribution system and plumbing components.

^{*} Coliforms are measured in colony forming units (CFU) per 100 millilitres of water (CFU/100mL)



San Pareil Water Analysis - 2023 Monthly Report

		_	ntre for Control			l	RDN In-H	ouse Labor	atory and S	pectroph	otometer		
Date	Sample Location (Address)	E. coli *	Total Coliform	E.coli *	Total Coliform *	Temp. (°C)	рН	Free Chlorine Residual (mg/L)	Total Dissolved Solids (mg/L)	Salinity (%)	Conductivity (µS/cm)	Total Iron (mg/L)	Manganese (mg/L)
7-Feb-22	793 San Malo	0	0	0	0	7	7.38	0.72	31.0	0.03	hh ()	Fe and Mn tested in-ho	are no longer
14-Feb-23	962 Ballenas			0	0	8	7.29	0.51	34.5	0.04			l Tap Water
21-Feb-23	1090 Plummer	0	0	0	0	8	7.24	0.70	33.2	0.03	A= 4	Results at https://www	v.rdn.bc.ca/
27-Feb-23	995 Sabine	0	0	0	0	7	7.70	0.68	30.3	0.03		san-pareil	,
CDN Drinkin	g Water Guidelines	<1	<1	<1	<1	n/a	7.0-10.5	n/a	500	n/a	n/a	0.3	0.02 AO 0.12 MAC

Legend:

Green font indicates a value flagged for operational consideration

Red font indicates non-compliance with the Maximum Acceptable Concentration (MAC) in the CDWG

Comments:

A full potability scan, including metals and minerals, is completed once per year at an external lab.

Туре	Parameter (published, reaffirmed)	MAC (mg/L)	Other value (mg/L)	Common sources of parameter in water	Health considerations	Comments
Treatment- related	pH (2015)	None	7.0-10.5	Not applicable	Not applicable	The control of pH is important to maximize treatment effectiveness, control corrosion and reduce leaching from distribution system and plumbing components.

^{*} Coliforms are measured in colony forming units (CFU) per 100 millilitres of water (CFU/100mL)



San Pareil Water Analysis - 2023 Monthly Report

			ntre for Control				RDN In-H	ouse Labor	atory and S	pectroph	otometer		
Date	Sample Location (Address)	E. coli *	Total Coliform	E.coli *	Total Coliform	Temp. (°C)	рН	Free Chlorine Residual (mg/L)	Total Dissolved Solids (mg/L)	Salinity (%)	Conductivity (µS/cm)	Total Iron (mg/L)	Manganese (mg/L)
3-Jan-23	793 San Malo	0	0	0	0	7	7.40	0.70	40.7	0.04	86.4	Fe and Mn tested in-ho	are no longer
10-Jan-23	1090 Plummer	0	0	0	0	8	7.10	0.68	37.8	0.04	80.2	See Annua	
18-Jan-23	962 Ballenas	0	0	0	0	8	7.11	0.34	36.3	0.04	77 2	Results at https://www	rdn he cal
25-Jan-23	995 Sabine	0	0	0	0	8	7.00	0.65	34.1	0.03		san-pareil	.i dii.bo.oa/
CDN Drinkir	ng Water Guidelines	<1	<1	<1	<1	n/a	7.0-10.5	n/a	500	n/a	n/a	0.3	0.02 AO 0.12 MAC

Legend:

Green font indicates a value flagged for operational consideration

Red font indicates non-compliance with the Maximum Acceptable Concentration (MAC) in the CDWG

Comments:

A full potability scan, including metals and minerals, is completed once per year at an external lab.

Notes below about pH (2015) from https://www.canada.ca/en/health-canada/services/environmental-workplace-health/reports-publications/water-quality/guidelines-canadian-drinking-water-quality-summary-table.html#">https://www.canada.ca/en/health-canada/services/environmental-workplace-health/reports-publications/water-quality/guidelines-canadian-drinking-water-quality-summary-table.html#">https://www.canada.ca/en/health-canada/services/environmental-workplace-health/reports-publications/water-quality/guidelines-canadian-drinking-water-quality-summary-table.html#">https://www.canada.ca/en/health-canada/services/environmental-workplace-health/reports-publications/water-quality/guidelines-canadian-drinking-water-quality-summary-table.html#">https://www.canada.ca/en/health-canada/services/environmental-workplace-health/reports-publications/water-quality-guidelines-canadian-drinking-water-quality-summary-table.html#">https://www.canada.ca/en/health-canada/services/environmental-workplace-health/reports-publications/water-quality-guidelines-canadian-drinking-water-quality-guidelines-canadian-drinking-water-quality-guidelines-canadian-drinking-water-quality-guidelines-canadian-drinking-water-quality-guidelines-canadian-drinking-water-quality-guidelines-canadian-drinking-water-quality-guidelines-canadian-drinking-water-quality-guidelines-canadian-drinking-water-quality-guidelines-canadian-drinking-water-quality-guidelines-canadian-drinking-water-quality-guidelines-canadian-drinking-water-quality-guidelines-canadian-drinking-water-quality-guidelines-canadian-drinking-water-quality-guidelines-canadian-drinking-water-quality-guidelines-canadian-drinking-water-quality-guidelines-canadian-drinking-water-quality-guidelines-canadian-drinking-water-quality-guidelines-canadian-drinking-water-quality-guidelines-canadian-drinking-water-quality-guide

Туре	Parameter (published, reaffirmed)	MAC (mg/L)	Other value (mg/L)	Common sources of parameter in water	Health considerations	Comments
Treatment- related	pH (2015)	None	7.0-10.5	Not applicable	I Not applicable	The control of pH is important to maximize treatment effectiveness, control corrosion and reduce leaching from distribution system and plumbing components.

^{*} Coliforms are measured in colony forming units (CFU) per 100 millilitres of water (CFU/100mL)